
## Monte Carlo ゼミ

2007/01/19

#### Practice1:


## Interaction of photon with materials



- Detector
  - Plastic scintillator
    - Position (x, y, z)=(-10cm, 0, 0)
    - Volume 10.cm×10.cm ×10.cm
    - Density 1.032 g/cm<sup>3</sup>
  - Ge crystal
    - Position (x, y, z)=(10cm, 0, 0)
    - Volume R<sub>min</sub>=0.4cm, R<sub>max</sub>=3.25cm, Z/2=3.47cm
- Physics
  - Transportation
  - EMProcess
  - Decay process
- Primary Generation
  - Generate γ ray from (0, 0, 0) isotropically in 3D space
  - Eγ=1MeV
- Sensitive Detector
  - Plastic scintillator, Ge crystal
  - Measure energy deposit.
- Show energy deposit spectra of each detector.
- Compare the ratio of Compton scattering and photo electric effect (σ<sub>Compton</sub>∞Z, σ<sub>photo</sub>∞Z<sup>5</sup>)

#### Practice2:

# $\Delta E$ , E counter (particle identification)



- When you measure ∆E and total kinetic energy, you can identify the particle
  - $\Delta E$  depends on  $\beta$
  - $E_{Kin} = \frac{1}{2} \text{ mV}^2$
- Detector
  - Thin counter (Plastic scintillator)
    - Position (x, y, z)=(2.5cm, 0, 0)
    - Volume 10cm(W) × 10cm(H) × 1cm(T)
  - Thick counter (Plastic scintillator)
    - Position (x, y, z)=(25cm, 0, 0)
    - Volume  $10cm(W) \times 10cm(H) \times 40cm(T)$
- Physics process (Do Not include decay)
  - Transportation
  - EMProcess
- Primary Generation
  - Generate  $\pi$ +,K+,p in order
  - Ekin 20MeV~400MeV
  - Beam direction (1,0,0)
- Sensitive Detector
  - Thin counter
  - Thick counter
- Make a scattering plot (2-dim histogram) between
  ΔE (thin counter) and total E (thick counter)